



Trylon Stamped Drawing Process & Tower Loading Questionnaire (CAN)

Please complete form and submit to your Trylon Distributor. Distributor will conduct a tower analysis and make a tower model recommendation. If you require Distributor contact information, please contact us at StockProducts@trylon.com.

Your Name:		Company Name:	
Phone:	Fax:	Email:	

Where will the tower be installed?	County:	Site Address:	City:
	Province:	Latitude:	Longitude:
What is the tower height?		Feet:	Meters:

Structure Type: (Select one)	<input type="checkbox"/> Self Support (SS) <input type="checkbox"/> Guyed <input type="checkbox"/> Bracketed <input type="checkbox"/> Other
-------------------------------------	---

Is an Engineer's stamp required on the tower & foundation drawings? Please note if P.Eng Stamped Drawings are required then a completed full-length Questionnaire is required	<input type="checkbox"/> Yes <input type="checkbox"/> No
--	---

Antenna Information:							
Antenna #	Elevation of Antenna (feet)	Qty of Antenna(s)	Antenna Information: (Manufacturer, Model Number, Type)	Antenna Dimensions	Projected Surface Area (sq. feet)	Transmission Lines	
						Qty	Size (Inches)
1							
2							
3							
4							
5							
6							

***PLEASE NOTE: only ONE of the gray shaded areas above is required for analysis.**



For additional information, please visit our website www.trylon.com

Step 1: Complete all sections of the Trylon Tower Questionnaire*. Return completed questionnaire to your Trylon Distributor. If you require Distributor contact information, please reach us at StockProducts@trylon.com or by fax (519) 669-8912.

Step 2: The Distributor conducts a tower analysis and provides customer with tower model recommendation.

Step 3: To purchase P.E. Stamped Drawings with standard foundation for this tower, customer would place a purchase order with Distributor.

Step 4: If a P.E. Stamped Drawing is required for a custom designed foundation, a Geotechnical Soils Report should be submitted to the distributor along with the PO. Any special requirements or instructions should be included.

Step 5: Distributor must ensure that the same questionnaire and soils report/notes (if applicable) accompanies the purchase order to Trylon.

Step 6: Trylon would then produce the site-specific P.E. stamped drawing. Lead-time for customer to receive drawings is 7 business days after the Distributor places a PO with Trylon. The drawings would be drop-shipped directly to the customer.

Note: *Trylon strongly recommends that customer not purchase a tower until they receive confirmation that Trylon has approved the model.*

**Note that Trylon accepts no liability for incorrect data supplied by the customer. Therefore, it's incumbent on the customer to do proper research. Any costs resulting from incorrect or missing data will be borne by the customer, including paying for an entirely new P.Eng. Stamped drawing package if it has to be redone with a different tower model.*

DISTRIBUTOR USE ONLY
STANDARD DRAWINGS (4.77.0101.100, 4.77.0101.200, 4.77.0101.900, 4.77.0101.920)
<input type="checkbox"/> Customer's completed Tower Questionnaire MUST be submitted at the same time as the PO.
<input type="checkbox"/> PO MUST reference SuperTitan Tower & Model (i.e. 120' S100... 100' S300... 80' S500... etc.).
Final Tower Model: _____
CUSTOMIZED DRAWINGS (4.77.0101.302, 4.77.0101.600, 4.77.0101.960, 4.77.0101.990)
<input type="checkbox"/> Customer's completed Tower Questionnaire MUST be submitted at the same time as the PO.
<input type="checkbox"/> PO MUST reference SuperTitan KD, SuperTitan MAX or STG Tower & Model (i.e. 120' S100, 194' M310, 180 STG).
<input type="checkbox"/> Geotechnical Soils Report MUST be submitted at the same time as the PO.
<input type="checkbox"/> If necessary: Any 'special' information MUST be clearly summarized and submitted at the same time as the PO.
Final Tower Model: _____